

03-13-00

Attorney Docket No. 99-062

A

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of: Jay S. WALKER et al.) Customer No.: 22927
For: METHOD, SYSTEM AND) Examiner Not yet assigned
COMPUTER PROGRAM)
PRODUCT FOR FACILITATING AN)
AUTOMATIC BEHAVIOR AND)
AUTOMATIC BIDDING IN AN)
AUCTION)
Serial No.: Not yet assigned) Group Art Unit: Not yet assigned
Filing Date: March , 2000) Docket No.: 99-062

Box Patent Application

Assistant Commissioner for Patents
Washington, D. C. 20231

TRANSMITTAL LETTER

Sir:


Applicants hereby submit the following documents for the above-identified patent application:

1. Certificate of Mailing by Express Mail No. EL080833748US;
2. Patent Application Transmittal Letter (large entity)(in duplicate);
3. Executed Combined Declaration and Power of Attorney;
4. Recordation Form Cover Sheet with Executed Assignment Document;
5. Patent Application (32 pages);
6. Set of Formal Drawings (16 sheets: Figs. 1-18);
7. Information Disclosure Statement;
8. PTO-1449 with copies of references cited (33); and
9. Acknowledgment Postcard.

The Assistant Commissioner is hereby authorized to charge \$ 2,740.00 to Deposit Account No. 50-0271. Order No. 99-062. This total includes \$ 2,700.00 for processing the filing of the application and \$ 40.00 for processing the assignment papers. A duplicate copy of this sheet is attached.

The Assistant Commissioner is further authorized to charge any additional fees which may be required for the submission of this paper, or to credit any overpayment, to Deposit Account No. 50-0271. Order No. 99-062. A duplicate copy of this sheet is attached.

Respectfully submitted,



Dean Alderucci
Attorney for Applicants
PTO Reg. No. 40,484
Walker Digital Corporation
Five High Ridge Park
Stamford, CT 06905
Telephone: (203) 461-7337
Facsimile: (203) 595-8266

March 10, 2000
Date

Certificate of Mailing

I hereby certify that this correspondence is being sent via Express Mail in an envelope labeled EL080833748US to Box Patent Application, Assistant Commissioner for Patents, Washington, DC, 20231 on March 10, 2000.

Margaret N. Kaswer		03/10/2000
Typed Name of Person Making Deposit	Signature	Date

UTILITY PATENT APPLICATION TRANSMITTAL

(Large Entity)

(Only for new nonprovisional applications under 37 CFR 1.53(b))

Docket No.
99-062

Total Pages in this Submission
77

TO THE ASSISTANT COMMISSIONER FOR PATENTS

Box Patent Application
Washington, D.C. 20231

Transmitted herewith for filing under 35 U.S.C. 111(a) and 37 C.F.R. 1.53(b) is a new utility patent application for an invention entitled:

METHOD, SYSTEM AND COMPUTER PROGRAM PRODUCT FOR FACILITATING AN AUCTION BEHAVIOR AND AUTOMATIC BIDDING IN AN AUCTION

and invented by:

Jay S. WALKER; Daniel E. TEDESCO; Kathleen VAN LUCHENE; James A. JORASCH; and Adam WARE

U.S. PAT. 09/523653
03/18/00

If a **CONTINUATION APPLICATION**, check appropriate box and supply the requisite information:

☐ Continuation ☐ Divisional ☐ Continuation-in-part (CIP) of prior application No.: _____

Which is a:

☐ Continuation ☐ Divisional ☐ Continuation-in-part (CIP) of prior application No.: _____

Which is a:

☐ Continuation ☐ Divisional ☐ Continuation-in-part (CIP) of prior application No.: _____

Enclosed are:

Application Elements

1. ☒ Filing fee as calculated and transmitted as described below
2. ☒ Specification having 32 pages and including the following:
 - a. ☒ Descriptive Title of the Invention
 - b. ☐ Cross References to Related Applications (if applicable)
 - c. ☐ Statement Regarding Federally-sponsored Research/Development (if applicable)
 - d. ☐ Reference to Microfiche Appendix (if applicable)
 - e. ☒ Background of the Invention
 - f. ☒ Brief Summary of the Invention
 - g. ☒ Brief Description of the Drawings (if drawings filed)
 - h. ☒ Detailed Description
 - i. ☒ Claim(s) as Classified Below
 - j. ☒ Abstract of the Disclosure

UTILITY PATENT APPLICATION TRANSMITTAL
(Large Entity)

(Only for new nonprovisional applications under 37 CFR 1.53(b))

Docket No.
99-062

Total Pages in this Submission
77

Application Elements (Continued)

3. ☒ Drawing(s) *(when necessary as prescribed by 35 USC 113)*
- a. ☒ Formal Number of Sheets 16
- b. ☐ Informal Number of Sheets _____
4. ☒ Oath or Declaration
- a. ☒ Newly executed *(original or copy)* ☐ Unexecuted
- b. ☐ Copy from a prior application (37 CFR 1.63(d)) *(for continuation/divisional application only)*
- c. ☒ With Power of Attorney ☐ Without Power of Attorney
- d. ☐ DELETION OF INVENTOR(S)
Signed statement attached deleting inventor(s) named in the prior application,
see 37 C.F.R. 1.63(d)(2) and 1.33(b).
5. ☐ Incorporation By Reference *(usable if Box 4b is checked)*
The entire disclosure of the prior application, from which a copy of the oath or declaration is supplied under
Box 4b, is considered as being part of the disclosure of the accompanying application and is hereby
incorporated by reference therein.
6. ☐ Computer Program in Microfiche *(Appendix)*
7. ☐ Nucleotide and/or Amino Acid Sequence Submission *(if applicable, all must be included)*
- a. ☐ Paper Copy
- b. ☐ Computer Readable Copy *(identical to computer copy)*
- c. ☐ Statement Verifying Identical Paper and Computer Readable Copy

Accompanying Application Parts

8. ☒ Assignment Papers *(cover sheet & document(s))*
9. ☐ 37 CFR 3.73(B) Statement *(when there is an assignee)*
10. ☐ English Translation Document *(if applicable)*
11. ☒ Information Disclosure Statement/PTO-1449 ☒ Copies of IDS Citations
12. ☐ Preliminary Amendment
13. ☒ Acknowledgment postcard
14. ☒ Certificate of Mailing

☐ First Class ☐ Express Mail *(Specify Label No.):* EL080833748US

UTILITY PATENT APPLICATION TRANSMITTAL (Large Entity)

(Only for new nonprovisional applications under 37 CFR 1.53(b))

Docket No.
99-062

Total Pages in this Submission
77

Accompanying Application Parts (Continued)

15. ☐ Certified Copy of Priority Document(s) (if foreign priority is claimed)


16. ☐ Additional Enclosures (please identify below):

Fee Calculation and Transmittal

CLAIMS AS FILED

For	#Filed	#Allowed	#Extra	Rate	Fee
Total Claims	58	- 20 =	38	x \$18.00	\$684.00
Indep. Claims	20	- 3 =	17	x \$78.00	\$1,326.00
Multiple Dependent Claims (check if applicable) <input type="checkbox"/>					\$0.00
BASIC FEE					\$690.00
OTHER FEE (specify purpose) Assignment					\$40.00
TOTAL FILING FEE					\$2,740.00

- ☐ A check in the amount of _____ to cover the filing fee is enclosed.
- ☒ The Commissioner is hereby authorized to charge and credit Deposit Account No. **50-0271** as described below. A duplicate copy of this sheet is enclosed.
- ☒ Charge the amount of **\$2,740.00** as filing fee.
 - ☒ Credit any overpayment.
 - ☒ Charge any additional filing fees required under 37 C.F.R. 1.16 and 1.17.
 - ☐ Charge the issue fee set in 37 C.F.R. 1.18 at the mailing of the Notice of Allowance, pursuant to 37 C.F.R. 1.311(b).


Signature

Dated: March 10, 2000

Dean Alderucci
Attorney for Applicants
PTO Reg. No. 40,484
Walker Digital Corporation
Five High Ridge Park
Stamford, CT 06905
Telephone: (203) 462-7337
Facsimile: (203) 595-8266



22927

PATENT TRADEMARK OFFICE

cc:

METHOD, SYSTEM AND COMPUTER PROGRAM PRODUCT FOR
FACILITATING AN AUCTION BEHAVIOR AND AUTOMATIC BIDDING IN AN
AUCTION

5

CROSS-REFERENCES TO RELATED APPLICATIONS

The present application claims the benefit of provisional U.S. Patent Application
Serial No. 60/152,119 filed September 2, 1999. The entire content of this application is
10 incorporated by reference herein.

BACKGROUND

Auctions for items may be held in many different ways. Bidders may be
physically present at one location or may be dispersed geographically. Bids may be
15 submitted during a specified time in advance of the auction. Bidders may submit spoken
bids, written bids or electronic bids, for example over a computer or other
communications network. Using such a network, an auction may be performed entirely
online. In an online auction, a bidder may place bids manually or may use a proxy
bidder, which places bids automatically on behalf of the bidder. An example of an
20 online auction with a proxy bidder is described in U.S. Patent No. 5,835,896 to Fisher et
al.

Using a conventional proxy bidder, a bidder in an online auction specifies how
bids should be placed. Typically, a proxy bidder determines a bid amount and places a
bid for the bidder instantly after the proxy bidder detects that the previous bid is
25 surpassed. For example, a proxy bidder may use a maximum desired amount for the
item and an increment to add to a previously placed bid. The proxy bidder places bids in
the smallest increment needed to exceed the previous bid, until reaching the maximum
amount specified by the bidder. In summary, if an auction is performed with proxy
bidders, bidding occurs unnaturally, quickly and early.

30

SUMMARY

The outcome of an auction, such as price and/or speed at which the item is sold,
depends in part on the way that bidders bid for the item. In particular, the behavior of
one or more bidders in an auction may influence another bidder's perception of the value
35 of the item. For example, if one or more bidders place bids aggressively (e.g., bids are
placed frequently, subsequent bid prices increase significantly), perhaps due to the use of

proxy bidders, another bidder's perceived value of the item may be increased. However, proxy bidders may discourage bidders from participating in online auctions by making the bids appear automated and out of human control. Users also may become frustrated from, for example, being outbid instantly and may become discouraged from participation in the auction.

One or more proxy bidders is associated with at least one rule which determines a time to place a bid. The proxy bidder places a bid in accordance with the at least one rule at the determined time, which may be different from the time immediately after the bidder's prior bid is exceeded by another's bid. Such rules may be selected for all proxy bidders in an auction to encourage a desired auction behavior. By controlling the placement of bids using rules associated with the desired auction behavior, bids may be placed in a manner that seems natural and competitive to bidders in the auction even though they are placed in accordance with selected rules. The desired auction behavior may be selected statically for an auction or dynamically before and/or during the auction. In one embodiment, historical auction data, such as the average period of time between bids and the average increment between bids, may be analyzed to characterize the behavior of an auction. Rules may be generated to correspond to a behavior so as to provide the same average time and increment between bids.

BRIEF DESCRIPTION OF THE DRAWINGS

Fig. 1 is a dataflow diagram of an example online auction system;

Fig. 2 is a diagram of an example auction server;

Fig. 3 is a diagram of an example table for a database of bidders;

Fig. 4 is a diagram of an example table for a database of sellers;

Fig. 5 is a diagram of an example table for a database of items;

Fig. 6 is a diagram of an example table for a database of behaviors and associated rules;

Fig. 7 is a diagram of an example table for a database of specifications for proxy bidders;

Fig. 8 is a diagram of an example table for a database of information about an auction;

Fig. 9 is a flowchart describing how an auction is performed in one embodiment;

Fig. 10 is a flowchart describing how an auction may be initialized;

Fig. 11 is a flowchart describing how a desired auction behavior may be determined;

Fig. 12 is a flowchart describing how bidders may be registered for an auction;

Fig. 13 is a flowchart describing how one or more proxy bidders may be created;

Fig. 14 is a flowchart describing how one or more rules may be assigned to each proxy bidder;

Fig. 15 is a flowchart describing how bids for manual and proxy bidders may be processed; Fig. 16 is a flowchart describing how behavior of an auction may be characterized;

Fig. 17 is a flowchart describing how the rule database may be developed; and Fig. 18 is a block diagram illustrating a relationship between processes corresponding to the flowchart of Fig. 9 and the databases of Figs. 2-8, in one embodiment.

DETAILED DESCRIPTION

In one aspect of the present invention, a method for managing an auction involves specifying an auction behavior, and specifying at least one rule for controlling when a bid may be placed automatically for a bidder according to the specified auction behavior. At least one bid for a bidder may be placed automatically according to the at least one rule and according to at least one specified bidding behavior. If the highest bid in the auction is not from the bidder, the bid may be placed automatically according to the at least one specified bidding behavior at a time according to the at least one rule. The specified bidding behavior may be a maximum bid amount and a minimum bid increment. An auction behavior may be specified by determining the auction behavior according to information about the auction, which may include information about an item, information about a seller and /or information about bidders.

The auction behavior may be determined by receiving information about one or more prior auctions, wherein each of the prior auctions has an associated auction behavior, and identifying at least one of the prior auctions as similar to the auction based on the information about the auction and the information about the one or more prior auctions. One or more of the prior auctions identified as similar to the auction then may be selected. The auction behavior associated with the selected one or more prior auctions may be as the auction behavior. At least one of the prior auctions similar to the

selected auction behavior. The rule generator has an input for receiving an indication of the selected auction behavior and an output for providing at least one rule for controlling when a bid may be placed automatically for a bidder in the auction to encourage the selected auction behavior. The auction behavior selector may include a comparator and a selector. The comparator has an input for receiving the information about the at least one prior auction and information about the auction, and an output for providing an indication of at least one of the prior auctions similar to the auction. The selector has an input for receiving the indication of one or more of the prior auctions identified as similar to the auction and an output for providing an indication of the auction behavior associated with a selected one or more of the prior auctions.

In another aspect, a method for selecting an auction behavior for an auction, includes receiving information about the auction, and matching the information about the auction to an auction behavior. The information about the auction may be matched to the auction behavior by receiving information about one or more prior auctions, wherein each of the prior auctions has an associated auction behavior. At least one of the prior auctions is identified as similar to the auction using the information about the auction and the information about the one or more prior auctions. One or more of the prior auctions identified as similar to the auction is then selected. The auction behavior associated with the selected one or more prior auctions may be selected as the auction behavior. At least one of the prior auctions may be identified as similar to the auction by comparing information about the auction to the information about the one or more prior auctions using a metric to obtain a measure. This measure may be compared to a threshold defining an extent of similarity. The selected one or more prior auctions may be one that has a best outcome among the at least one of the prior auctions identified as similar to the auction, for example by having a highest price and a fastest sale.

In one embodiment, actual auction behavior may be evaluated according to bids received in the auction. The at least one rule for controlling when a bid may be placed automatically in the auction may be modified according to the actual auction behavior. The actual auction behavior may be evaluated by characterizing the actual auction behavior according to bids received in the auction, and comparing the selected auction behavior to the actual auction behavior. The at least one rule may be modified by selecting at least one alternative rule corresponding to the actual auction behavior, for

example, by selecting the at least one alternative rule randomly from among a plurality of rules.

Fig. 1 illustrates an example online auction system for managing an auction. An auction is a public or private sale in which goods or services of a seller may be sold to a bidder through a bidding process. There are many kinds of auctions which differ in the manner in which bids are submitted and in the manner in which a bid is selected by the seller.

The online auction system in Fig. 1 includes an auction manager 100 which receives bids 102, 103 from one or more bidders participating in one or more auctions. A bid is an offer from or on behalf of a bidder, and the bid includes an offered price for the good or service being auctioned. The bid may specify an actual price or an amount relative to some other price, such as a predetermined value greater than a previous bid price. The bids may be received by the auction manager 100 in any of a number of ways, including, but not limited to, any data discernable by the auction manager as a bid, such as a message in any format of any computer communication protocol. To process a bid, the auction server uses an indication of the auction, the bidder and the bid price. A bid from a bidder may itself include any one or more of these pieces of information. Any information that the auction server can infer or derive need not be included in the bid itself. Thus, a bid generally includes an indication of one or more of the auction, the bidder and the bid price. The indication of the bidder may be any data indicative of an identifier, such as a name, address, telephone number, email address, security number, credit card number, or other data that can identify the bidder in the system. Automatically and manually generated bids may be received by the auction manager 100. Automatically generated bids may be received from one or more bid generators 114, also referred to herein as proxy bidders, described below.

The auction manager 100 maintains information about current bidding status 104 for each auction. The information about the current bidding status typically includes at least the highest bid price, and optionally an identifier of the highest bidder (the bidder that submitted the high bid, or on whose behalf the high bid was submitted). Information describing a bidding time and/or a type of bidder (e.g., whether manual or automatic) also may be included. Other information about the auction also may be provided, including, but not limited to, an identifier of the item, start and end dates and times of the auction, a number of bidders, and/or a minimum increment amount for a bid to exceed a

previous bid. The current bidding status 104 is accessible by both manual and proxy bidders to enable bidders to make another bid. Manual and proxy bidders may access the current bidding status 104 by requesting information from the auction manager 100, or by reading the information from some storage location maintained by the auction manager, or by the auction manager sending the information to the bidder, or in any other manner appropriate given the implementation of the auction manager and/or proxy bidders.

Each bid generator 114 receives data specifying at least part of its bidding behavior. The bidding behavior indicates how the bid generator 114 generates a new bid from a current bid. The data specifying the bidding behavior may, in one embodiment, include a maximum bid price 120 and an increment value 122. The maximum bid price 120 indicates the maximum price which the bidder associated with the proxy bidder is willing to bid for an item. The increment value 122 is the amount by which the bid must exceed a previous bid. The increment value 122 may be defined for all bidders in the auction through the auction server, for example, by an individual or by the auction server itself. Alternatively, the bidder may specify his own increment value to be used by the corresponding bid generator. Any suitable interface, such as an HTML form, may be used to permit a bidder to specify the bidding behavior of the proxy bidder. Using the current bidding status 104, the bid generator generates the bid 102 according to the specified bidding behavior. In general, the bid generator adds the increment value 122 to the bid price of the previous bid to yield the bid price of the new bid. The bid price of the new bid may not exceed the maximum bid 120. If the highest bid price received during the auction exceeds the maximum bid price 120, then no bid is placed and / or the actual bidder is notified in some manner (e.g., using electronic mail) that his maximum bid price has been exceeded.

One or more rules 112 may be applied to determine, for example, when the bid is to be placed. Accordingly, the bid is not necessarily placed immediately after the bid generator 114 detects that a previously submitted bid price has been exceeded by another bidder. A rule applied by the bid generator 114 may be obtained from many sources. A rule may be specified by the bidder, by the auction system, by the seller, or any combination thereof. A rule may be created or may be selected from a predetermined list.

condition also may be specified by a ratio between a number of bids and an amount of time, which may be fixed or variable. Conditions also may be specified using any other information about the auction, such as who placed the last bid, number of bidders in the auction, etc.

5 Some example rules include, but are not limited to, placing a bid:

1. periodically at a predetermined time after a previous bid is placed, e.g., five minutes after a previous bid is placed;

2. periodically at a predetermined time after the auction has begun, e.g., every five minutes starting from one hour after the beginning of the auction;

10 3. according to a frequency of a predetermined number of previous bids, e.g., if the past five bids have occurred within twenty minutes, the proxy bid is placed within five minutes of the last bid; if the past five bids have occurred within one hour, the proxy bid is placed within fifteen minutes of the last bid;

4. after waiting a random amount of time after a previous bid is placed;

15 5. according to a bid price achieved by the last bid, e.g., if the high bid price exceeds a predetermined amount, the bid is placed more (or less) quickly;

6. according to an amount of time left in the auction, e.g., the bid is placed more (or less) quickly near the end of the auction;

7. at a predetermined time before the end of auction;

20 8. more or less quickly if the auction is going to be extended;

9. after a minimum number of bids is placed previously, e.g., the bid is placed after three other bids have been placed.

Many kinds of rules can be provided, and the invention is not limited to any particular rules. Rules also may be related to bidding by manual bidders. For example, 25 the speed at which manual bids are placed may determine how the proxy bids are placed. Rules also may be specified at the beginning of an auction, but their application may be delayed until a specified action has occurred. One or more rules also may be specified for one or more proxy bidders to facilitate a desired auction behavior. An auction behavior is a manner in which bids in an auction are placed, for example, the 30 times at which they are placed, the frequency with which they are placed, and the amount by which they exceed any previous bid. Generally, a desired auction behavior is an auction behavior that has a likelihood to provide the best beneficial outcome. The desired auction behavior is selected, by the seller, by an auctioneer or automatically, so

as to improve or optimize the outcome of the auction, such as price at which and/or speed with which the item is sold, or other beneficial outcome for a party, whether seller, bidder or auctioneer.

An auction behavior selector 106 may be used to select a desired auction behavior 108. For example, the auction behavior selector may use one or more of the current bidding status 104, current information about the current auction 116, and/or information about past auctions 118. For example, the auction behavior selector may identify a prior auction that is most similar to the current auction, and select the auction behavior of that prior auction as the desired auction behavior. Similarity may be determined by comparing one or more values associated with the auctions, using any suitable similarity or distance metric to obtain a measure of similarity. A measure computed using a similarity metric generally increases with increased similarity of the compared items. A measure computed using a distance metric generally decreases with increased similarity of the compared items. Many kinds of metrics may be used, including Hamming distance, correlation, Euclidean distance and other metrics. The invention is not limited by any particular similarity or distance metric. One or more thresholds may be defined to which this measure may be compared to indicate an extent of similarity. An example implementation of an auction behavior selector 106 is described in more detail below.

Given a desired auction behavior, a rule selector 110 may select one or more rules 112, one or more of which may be applied to one or more proxy bidders in the manner described above. In general, the rule generator may associate one or more rules with each auction behavior, and provide an indication of such rules, given the desired auction behavior.

An example implementation of an online auction system will now be described in connection with Figs. 2-9.

The auction behavior selector 106, auction manager 100, rule generator 110 and one or more bid generators 114 all may be present and operating on one or more computers or other devices acting as a server computer for the auction. This server computer, herein called an auction server, may be accessed by one or more computers or other devices used by sellers, and one or more computers or other devices used by bidders in any manner known in the art (e.g., via the Internet).

The auction server 200 may include one or more communication ports 202, one or more processors 204, an internal data and time clock 206, and storage 208 which includes one or more computer programs 222 defining instructions, which when executed, instruct the computer to perform the operations of the auction behavior selector, rule generator, auction manager and bid generator. The storage also may include a bidder database 210, seller database 212, item database 214, rules database 216, proxy bid database 218 and auction database 220. These programs and these databases will now be described in more detail in connection with Figs. 3-8.

Fig. 3 illustrates an example table 300 for a bidder database, which includes one or more records 302. In general, each record associates a bidder identifier 304 with a payment identifier 312 and optionally, additional information about the identified bidder. In this example, each record 302 includes a bidder identifier 304, name 306, mailing address 308, email address 310 and payment identifier 312. Entries in this database are made as users register with the auction server as described below. After a bidder registers for an auction for an item, a list corresponding items identifiers also may be stored in this entry for a bidder.

Fig. 4 illustrates an example table 400 for a seller database, which includes one or more records 402. In general, each record associates a seller identifier 404 with one or more associated item identifiers 412 and optionally, additional information about the seller. Example additional information about the seller includes a name 406, an email address 408, and a payment identifier 410. Entries in this database are made and updated as sellers register items to be auctioned, as described below.

Fig. 5 illustrates an example table 500 for an item database, which includes one or more records 502, with one record for each item being auctioned. In general, each record associates an item identifier 504 with an item description 506 and optionally additional information such as an item category 508. The item description may be a textual description, list of features or any other information that serves to describe the item and/or enable a comparison of the item to other items. A selling price 510 also may be stored. Each item may have an associated behavior identifier 512, which indicates the auction behavior used for the auction of that item. A list of registered bidders also may be stored. Entries in this database are made and updated as sellers register items for auction, when a behavior is assigned to an auction and when an auction ends.

Fig. 6 illustrates an example table 600 for a rule database, which includes one or more records 602. This rule database may be used by the rule selector 110 of Fig. 1.

Each record 602 in the rule database relates a behavior identifier 604 with a rule identifier 606. Each behavior also may have an associated description 608 that provides a prose description of the behavior. Similarly, each rule may have an associated description 610 that provides a prose description of the rule. Although the example table 600 illustrates one specific rule associated with each behavior, each behavior may be associated with one or more rules. The one or more rules may be specific or may include variables that are assigned different values for different proxy bidders. How behaviors may be associated with rules is described in more detail below.

Fig. 7 illustrates an example table 700 for a proxy bidder database that stores information about proxy bidders. This table includes one or more records 702, wherein each record includes a bidder identifier 704 and an item identifier 706 or other identifier of the auction. A proxy bidder also may have an associated rule identifier 708, which refers to a record in the rule database, and a bid ceiling, or maximum bid 710. This information enables the auction server to control the operation of all proxy bidders at a central location.

Fig. 8 illustrates an example record 800 from an auction database. This database stores information about present and past auctions. In the example shown in Fig. 8, a record 800 may include an item identifier 802, an auction start date and time 804, an auction end date and time 806, a current number of participating bidders 808 and a bid increment amount 810. The number of bidders may be inferred from a list of bidders associated with this item stored in either field 808 of this table 800 or in the item database. A list 812 includes one or more entries 814, wherein each entry associates a bidder 816 with a bid amount 818, a bidding time 820 and a type 822 of the bidder.

Each database may be any kind of database, including a relational database, object-oriented database, unstructured database or other database. Example relational databases include Oracle 8i from Oracle Corporation of Redwood City, California, Informix Dynamic Server from Informix Software, Inc. of Menlo Park, California, DB2 from International Business Machines of Yorktown Heights, New York, and Access from Microsoft Corporation of Redmond, Washington. An example object-oriented database is ObjectStore from Object Design of Burlington, Massachusetts. An example unstructured database is Notes from the Lotus Corporation, of Cambridge,

Massachusetts. A database also may be constructed using a flat file system, for example by using files with character-delimited fields, such as in early versions of dBASE, now known as Visual dBASE from Inprise Corp. of Scotts Valley, California, formerly Borland International Corp. Notwithstanding these possible implementations of the foregoing databases, the term database as used herein refers to any data that is collected and stored in any manner accessible by a computer.

Having now described the databases maintained by the auction server in this embodiment, the various operations performed by the auction server will now be described. Referring to Fig. 9, these operations include, but are not limited to, initializing (900) an auction by receiving information from a seller about the seller and the item to be offered for sale, determining (902) a desired auction behavior for an auction, registering (904) bidders for an auction, creating (906) a proxy bidder for a registered bidder, assigning (908) bidding rules to proxy bidders, and processing (910) bids received from bidders. Optionally, the behavior of the auction also may be characterized (912). During the auction, the actual auction behavior and the desired auction behavior are different, the rules may be updated to effect the desired auction behavior. The various operations in Fig. 9 need not be performed sequentially or in the order shown. These various operations will now be described in more detail.

Referring to Fig. 10, to initialize an auction, information about the seller and the item to be auctioned is received (1000) from the seller by the auction server. Information about the seller, in an embodiment using the database structure described above, may include a seller name, email address, and payment identifier. Information about the item may include a description of the item and a category. Any conventional registration process and mechanism may be used to obtain this information from a seller. The seller information and the item information may be provided separately and at different times, enabling the seller to register once, but offer multiple items for auction at different times.

Records in the seller information database of Fig. 4 and the item information database of Fig. 5 are created or updated (1002) using the received information. In particular, the auction server associates a seller identifier with the seller information and an item identifier with the item. A record for the seller is created in the seller database and for the item in the item database, "linked" by the item identifier. The selling price (510 in Fig. 5) for the item is set to an arbitrary initial value.

A table 800 (Fig. 8) for the auction is then created (1004), which is associated to the item database through the item identifier (802 in Fig. 8). The auction start time 804 and end time 806 may be specified by the seller or the auction server. The current number of participating bidders 808 is initially set to zero. The bid increment amount
5 may be set by the auction server, by a third party through the auction server, or by the seller. An initial bid amount also may be provided and stored in an entry 814 in the list 812.

Referring to Fig. 11, after initializing the auction, a desired auction behavior may be determined for the auction. The selection of a desired auction behavior, from which
10 the rules for proxy bidders may be generated, generally is performed by receiving information about the auction and matching this information about the auction to a behavior that is likely to provide the best beneficial outcome. This matching may be performed in many ways. For example, matching the auction to a behavior may involve receiving (1100) information about one or more prior auctions, wherein each prior
15 auction has an associated auction behavior. At least one of the prior auctions is identified as similar to the current auction. For example, the information about the auction, such as the item description, item category, seller information and/or information in the auction database (Fig. 8), may be compared (1102) to the information about the one or more prior auctions. One or more of the prior auctions identified as
20 similar to the current auction is then selected (1104). Typically, the prior auction that is selected is the auction that has the best beneficial outcome among the prior auctions identified as similar to the current auction. For example, the auction that is selected may be the auction with the highest price, or fastest sale, or other beneficial outcome. Because the selected prior auction is associated with an auction behavior, for example,
25 through the database of Fig. 5, the auction behavior of that selected prior auction now may be used for the current auction. An identifier and description of the identified behavior is stored (1106) in the database shown in Fig. 5.

Referring to Fig. 12, after initializing the auction, bidders may register to participate in the auction. Bidders may register prior to a desired auction behavior being
30 selected for the auction. Information about the bidder is received (1200) by the auction server. Information about the bidder, in an embodiment using the database structure described above, may include a name, mailing address, email address, and/or payment

identifier. Any conventional registration process and mechanism may be used to obtain this information from a bidder.

Records in the bidder database of Fig. 3 are created or updated (1202) using the received information. In particular, the auction server associates a bidder identifier with the bidder information, and a record for the bidder is created in the bidder database.

Entries in a bidder database, such as is shown in Fig. 3, may be created and updated separately for each auction. Bidders also may register with the auction server separately from registering to participate in an auction. In this embodiment, records may be created and updated in the bidder database independently of the auctions. The bidder's information is associated (1204) with the auction in any of the ways described above.

Referring to Fig. 13, at any time before or during the auction, and after the selection of the desired auction behavior, a registered bidder may create and/or modify a proxy bidder. Information specifying the bidding behavior of the proxy bidder is received (1300) from the bidder by the auction server. Such information, in an embodiment using the database structure described above, may include a maximum bid and an indication of the item or auction for which the proxy bidder is to be used. The identity of the bidder may be determined through any conventional authentication process or mechanism, possibly using the bidder database of Fig. 3. A corresponding record is then created or updated (1302) by the auction server in a proxy bidder database, such as shown in Fig. 7.

Referring to Fig. 14, when a proxy bidder is created, the auction server also associates one or more rules with the proxy bidder to effect the desired auction behavior. These rules may be assigned statically or dynamically to the proxy bidder. In an embodiment using the database structure described above, using the item identifier, the selected desired auction behavior for the auction is retrieved (1400) from the item database (Fig. 5).

A rule identifier associated with the desired auction behavior is selected (1402) from the rule database in Fig. 6. In general, the assignment of the bidding rules to proxy bidders is coordinated so that the desired auction behavior is achieved. A rule may be selected sequentially or randomly for each proxy bidder from the rules associated with the desired auction behavior. The one or more rules may be specified such that the condition includes a variable that is assigned differently for each proxy bidder. The variable may have a range of candidate values, from which a particular value for a rule

for a proxy bidder is selected. The rule generator may take various other information into account to assign rules. For example, the bid ceiling of each bidder, the length of the auction and the number of bidders may be used to select a rule. An implementation for creating the rule database of Fig. 6 is described in more detail below in connection with Fig. 17. The selected rule identifier is stored (1404) in the proxy bidder database (708), associated with the identifier of the bidder who created the proxy bidder and the item identifier.

Referring to Fig. 15, after registration of a seller, an item, and bidders, and after initialization of the auction information, bidding in an auction may commence at or after the specified auction start time. During the auction, the auction server receives (1500) both manually and automatically generated bids. Conflicting bids may be processed in any appropriate manner, using any conventional process or mechanism. If proxy bidders are implemented by the auction server, coordination by the auction server of bids from proxy bidders with the receipt of bids from manual bidders may be performed using any conventional process or mechanism, as described below. For each bid that is received, if the bid complies with the auction rules, as determined at 1502, entry 814 corresponding to the bid is added (1504) to table 800 (Fig. 8), including the identifier of the bidder, the bid amount, the time at which the bid was placed and the type of bidder (whether manual or proxy). A bid that does not comply with the auction rules may be rejected (1506) by the auction server. After a bid is processed, if the auction is not over, as determined at 1508 by comparing the current time to the auction end date/time 808 (Fig. 8), more bids may be received (1500). Also, as noted above, any time during the auction, the behavior of the auction may be characterized (such as described below in connection with Fig. 16) and rules associated with the proxy bidders may be modified. If the auction is over, the selling price may be stored (1510) in the item database (510 in Fig. 5).

The operation of a proxy bidder may be initiated in many ways, and at many times. For example, each proxy bidder may be evaluated by the auction server after each bid is placed, or after each period of time has passed. The auction server may determine whether each proxy bidder could place a bid, for example, by determining whether any prior bid was exceeded and whether the maximum bid was exceeded. If the proxy bidder could place a bid, its associated rule is applied. If the conditions of the rule are satisfied, then a new bid is submitted for the proxy bidder to the auction manager. A bid from

each proxy bidder may be computed and submitted, e.g., in sequence, in parallel, in a round-robin manner or in any other manner desirable.

Alternatively, a proxy bidder may be separate program, for example executed on a client machine, or may be one or more separate threads of a program executed by the auction server, or may be an autonomous or semiautonomous agent. If proxy bidders are not centrally controlled, as in these embodiments, the database of data shown in Fig. 7 may be omitted. In this embodiment, a bid from a proxy bidder is handled by the auction server as if it were a manually submitted bid.

If proxy bidders are centrally controlled, proxy bidders may be delayed in submitting proxy bids for long enough to prompt the manual bidders to create proxy bidders near the end of an auction. This notification would enable manual bidders to continue participating in the auction and may help increase the purchase price of the item.

After a number of bids has been received in an auction, whether during or after the auction, the behavior of the auction may be characterized, as noted at 912 in Fig. 9. Referring to Fig. 16, how such a characterization of the behavior of an auction may be derived from data about the actual bidding information in the auction will now be described. For example, the auction behavior may be characterized using the frequency with which bids were placed, and amounts by which bids exceeded any previous bids in the auction. Various mathematical processes may be applied to the data to determine this and other information that may characterize the behavior of the auction. For example, in an embodiment using a database such as shown in Fig. 8, the total number of bids is computed (1600). The amount of time between the first bid and the last bid is computed (1602). The difference between the first bid and the last bid is computed (1604). From this information, an average frequency and increment may be determined.

Other historical data which may be used to characterize the behavior of an auction includes information about the bidders, such as the bidder's history with the auction server, including, but not limited to, how many items the bidder has bid for an item, how much money has been spent by the bidder and the auction behavior that enticed the bidder to bid aggressively or spend the most amount of money. The time of the year the auction was conducted also may be relevant. Auctions also may be compared to determine which behaviors are associated with the best outcomes among a

set of similar auctions. In this manner, the auction server collects data about kinds of behaviors that produce the best outcomes in various auctions.

If the behavior of the current auction is characterized during the auction, the behavior of the current auction may be compared to the desired auction behavior to
5 determine whether the desired auction behavior is being achieved. The rule assignments then may be changed dynamically during the auction depending on whether the desired auction behavior is being achieved. For example, if the desired auction behavior is to have bids occurring every five minutes, with an average increment of two dollars, and the actual behavior has bids occurring every two minutes, the proxy bidders rules may be
10 changed so as to increase the average amount of time between proxy bids.

Referring now to Fig. 17, how a desired auction behavior is associated to rules, which are selected and assigned to the proxy bidders, will now be described. In particular, as noted above, one or more rules may be associated with an auction behavior, which is defined. A specification of the desired auction behavior is received (1700), for
15 example, as an average bidding frequency and average bidding increment. The average bidding frequency and average bidding increment are used to define (1702) one or more variables. These variables may have a range of candidate values defined from actual auction behaviors. A single variable rule may be specified, with the range of candidate values, and stored in the rule database, from which specific rules may be derived as rules
20 are assigned to proxy bidders. Alternatively, multiple specific rules may be specified (1704). The defined rules, whether general or specific, are stored in the rule database, associated with the desired auction behavior.

Referring now to Fig. 18, a block diagram of the activities described in Figs. 9-17 and how they interact with the databases of Figs. 3-8 will now be described. As
25 indicated at 1800, initialization of the auction uses the seller database 1802, item database 1804 and auction database 1806. Selection 1808 of a desired auction behavior uses at least the item database 1804 and the auction database 1806. Registration 1810 of the bidder uses the bidder database 1812, and optionally the item database 1804 or the auction database 1806 to associate the bidder with the auction. Creation or modification
30 1814 of a proxy bidder for a bidder uses the proxy bidder database 1816. The bidder database 1812 and item database 1804 may be used for verification purposes. Assignment 1818 of rules uses the item database 1804, rule database 1820 and the proxy bidder database 1816. Processing 1822 of bids uses the proxy bidder database 1816,

item database 1804 and auction database 1806. Characterization 1824 of an auction uses the auction database 1806 and may use the rules database 1820. Creation 1826 of the rules database 1820 uses the auction database 1806, and other information as desired.

5 A computer system with which the various elements of the auction system of Fig. 1 and/or Fig. 18 may be implemented either individually or in combination typically includes at least one main unit connected to both an output device which displays information to a user and an input device which receives input from a user. The main unit may include a processor connected to a memory system via an interconnection mechanism. The input device and output device also are connected to the processor and
10 memory system via the interconnection mechanism.

One or more output devices may be connected to the computer system. Example output devices include cathode ray tubes (CRT) display, liquid crystal displays (LCD) and other video output devices, printers, communication devices such as a modem, storage devices such as a disk or tape, and audio output. One or more input devices may
15 be connected to the computer system. Example input devices include a keyboard, keypad, track ball, mouse, pen and tablet, communication device, and data input devices such as audio and video capture devices. The invention is not limited to the particular input or output devices used in combination with the computer system or to those described herein.

20 The computer system may be a general purpose computer system which is programmable using a computer programming language, such as C, C++, Java, or other language, such as a scripting language or even assembly language. The computer system may also be specially programmed, special purpose hardware, or an application specific integrated circuit (ASIC). The bidder's device also may be a pager, telephone, personal
25 digital assistant or other electronic data communication device.

In a general purpose computer system, the processor is typically a commercially available processor, of which the series x86 and Pentium series processors, available from Intel, and similar devices from AMD and Cyrix, the 680X0 series microprocessors available from Motorola, the PowerPC microprocessor from IBM and the Alpha-series
30 processors from the former Digital Equipment Corporation, and the MIPS microprocessor from MIPS Technologies are examples. Many other processors are available. Such a microprocessor executes a program called an operating system, of which WindowsNT, Windows 95 or 98, IRIX, UNIX, Linux, DOS, VMS, MacOS and

OS8 are examples, which controls the execution of other computer programs and provides scheduling, debugging, input/output control, accounting, compilation, storage assignment, data management and memory management, and communication control and related services. The processor and operating system defines computer platform for which application programs in high-level programming languages are written.

A memory system typically includes a computer readable and writeable nonvolatile recording medium, of which a magnetic disk, a flash memory, and tape are examples. The disk may be removable, known as a floppy disk, or permanent, known as a hard drive. A disk has a number of tracks in which signals are stored, typically in binary form, i.e., a form interpreted as a sequence of one and zeros. Such signals may define an application program to be executed by the microprocessor, or information stored on the disk to be processed by the application program. Typically, in operation, the processor causes data to be read from the nonvolatile recording medium into an integrated circuit memory element, which is typically a volatile, random access memory such as a dynamic random access memory (DRAM) or static memory (SRAM). The integrated circuit memory element allows for faster access to the information by the processor than does the disk. The processor generally manipulates the data within the integrated circuit memory and then copies the data to the disk after processing is completed. A variety of mechanisms are known for managing data movement between the disk and the integrated circuit memory element, and the invention is not limited thereto. The invention is not limited to a particular memory system.

Such a system may be implemented in software or hardware or firmware, or any combination thereof. The various elements of the system, either individually or in combination may be implemented as a computer program product tangibly embodied in a machine-readable storage device for execution by a computer processor. Various steps of the process may be performed by a computer processor executing a program tangibly embodied on a computer-readable medium to perform functions by operating on input and generating output. Computer programming languages suitable for implementing such a system include procedural programming languages, object-oriented programming languages, and combinations of the two.

The invention is not limited to a particular computer platform, particular processor, or particular high-level programming language. Additionally, the computer system may be a multiprocessor computer system or may include multiple computers

connected over a computer network. Various possible configurations of computers in a network permit many users to participate in an auction, even if they are dispersed geographically.

Each module or step shown in the accompanying figures and the substeps or subparts shown in the remaining figures may correspond to separate modules of a computer program, or may be separate computer programs. Such modules may be operable on separate computers or other devices. The data produced by these components may be stored in a memory system or transmitted between computer systems or devices. The plurality of computers or devices may be interconnected by a communication network, such as a public switched telephone network or other circuit switched network, or a packet switched network such as an Internet protocol (IP) network. The network may be wired or wireless, and may be public or private.

Having now described a few embodiments, it should be apparent to those skilled in the art that the foregoing is merely illustrative and not limiting, having been presented by way of example only. Numerous modifications and other embodiments may be made. For example, rules may be applied in order to test their effect when placed at specific times during an auction. Rules to be applied to proxy bids also may be specified by the bidder of the item. Such capability may provide the bidder influence on how other bidders behave in the auction, and provide more feeling of control. A bidder may be required to pay for this service. In addition, when proxy bidders are bidding in the last moments of an auction against manual bidders, the auction server could delay submitting proxy bids for long enough to prompt the manual bidders to submit bid ceilings so that they have a chance of remaining in the auction. This notification would enable manual bidders to continue participating in the auction and may help the item be purchased for a higher price, thus benefiting the auctioneer and the seller of the item. The notification may be available only for an additional cost if desired.

What is claimed is:

CLAIMS

1

2 1. A method for managing an auction, comprising:
3 specifying an auction behavior; and
4 specifying at least one rule for controlling when a bid may be placed
5 automatically for a bidder in the auction according to the specified auction behavior.

1 2. The method of claim 1, further comprising:
2 automatically placing at least one bid for a bidder according to the at least one
3 rule and according to at least one specified bidding behavior.

1 3. The method of claim 2, wherein the specified bidding behavior comprises a
2 maximum bid and a minimum bid increment.

1 4. The method of claim 2, wherein automatically placing at least one bid for the
2 bidder comprises:
3 if a highest bid in the auction is not from the bidder, placing the bid according to
4 the at least one specified bidding behavior at a time according to the at least one rule.

1 5. The method of claim 1, further comprising:
2 receiving at least one bid placed automatically according to the at least one rule
3 and according to at least one specified bidding behavior.

1 6. The method of claim 1, wherein specifying an auction behavior comprises
2 determining the auction behavior according to information about the auction.

1 7. The method of claim 6, wherein the information about the auction comprises at
2 least one of information about an item, information about a seller and information about
3 bidders.

1 16. The method of claim 13, wherein a candidate auction behavior is a behavior of an
2 auction similar to the current auction.

1 17. The method of claim 1, further comprising:
2 evaluating actual auction behavior according to bids received in the auction; and
3 modifying the at least one rule for controlling when a bid may be placed
4 automatically in the auction according to the actual auction behavior.

1 18. The method of claim 17, wherein evaluating the actual auction behavior
2 comprises:
3 characterizing the actual auction behavior according to bids received in the
4 auction;
5 comparing the selected auction behavior to the actual auction behavior.

1 19. The method of claim 17, wherein modifying the at least one rule comprises:
2 selecting at least one alternative rule corresponding to the actual auction
3 behavior.

1 20 The method of claim 19, wherein selecting the at least one alternative rule
2 comprises selecting the at least one alternative rule randomly from among a plurality of
3 rules.

1 21. A system for managing an auction, comprising:
2 means for identifying an auction behavior; and
3 means for identifying at least one rule for controlling when a bid may be placed
4 automatically for a bidder in the auction according to the selected auction behavior.

1 22. A system for managing an auction, comprising:

5 identifying at least one of the prior auctions similar to the auction using the
6 information about the auction and the information about the one or more prior auctions;
7 and
8 selecting one or more of the prior auctions identified as similar to the auction.

1 27. The method of claim 26, further comprising selecting the auction behavior
2 associated with the selected one or more prior auctions as the auction behavior.

1 28. The method of claim 26, wherein identifying at least one of the prior auctions
2 similar to the auction comprises:

3 comparing information about the auction to the information about the one or
4 more prior auctions using a metric to obtain a measure; and
5 comparing the measure to a threshold defining an extent of similarity.

1 29. The method of claim 26, wherein the selected one or more prior auctions has a
2 best outcome among the at least one of the prior auctions identified as similar to the
3 auction.

1 30. The method of claim 29, wherein a best outcome is at least one of a highest price
2 and a fastest sale.

1 31. The method of claim 25, further comprising:
2 evaluating actual auction behavior according to bids received in the auction.

1 32. The method of claim 31, wherein evaluating the auction behavior comprises:
2 characterizing the actual auction behavior according to bids received in the
3 auction; and
4 comparing the selected auction behavior to the actual auction behavior.

1 33. The method of claim 32, further comprising determining whether to implement a
2 new rule if the auction behavior is substantially different from the selected auction
3 behavior.

[illegible]

2 34. A system for selecting an auction behavior for an auction, comprising:
3 means for accepting information about the auction; and
4 means for comparing the information about the auction to a behavior.

35. A system for selecting an auction behavior for an auction, comprising:
a behavior database in which associations between information about auctions
and auction behaviors is stored; and
a behavior selector having an input for receiving information about the auction
and an output for providing an indication of an auction behavior for the auction using the
behavior database

1 36. A computer program product comprising:
2 a computer readable medium; and
3 computer program instructions stored on the computer readable medium, wherein
4 the computer program instructions, when executed by a computer, direct the computer to
5 perform a method for selecting an auction behavior for an auction, the method
6 comprising:
7 receiving information about the auction; and
8 matching the information about the auction to an auction behavior.

1 37. A method for specifying at least one rule for automatic bidding in an auction,
2 comprising:
3 receiving an indication of a selected auction behavior; and
4 matching the auction behavior to the at least one rule to encourage the auction
5 behavior.

1 38. The method of claim 37, wherein matching the auction behavior to rules
2 comprises:
3 associating at least one rule with at least one candidate auction behavior from
4 which the auction behavior is selected; and
5 selecting the at least one rule associated with the selected auction behavior.

1 39. The method of claim 38, wherein a candidate auction behavior is a behavior of an
2 auction similar to the current auction.

1 40. The method of claim 38, wherein associating at least one rule with each candidate
2 auction behavior comprises:

3 determining at least one rule which corresponds to each candidate auction
4 behavior; and

5 storing the selected rules in a database in manner accessible by an indication of
6 the candidate auction behavior.

1 41. The method of claim 40, wherein determining at least one rule which corresponds
2 to each candidate auction behavior comprises:

3 characterizing each candidate auction behavior; and

4 selecting rules corresponding to the candidate auction behavior.

1 42. The method of claim 37, wherein the selected auction behavior differs from
2 actual auction behavior during the auction, the method further comprising:

3 determining whether the selected auction behavior should be modified; and

4 modifying the at least one rule for controlling when a bid may be placed

5 automatically in the auction according to the actual auction behavior.

1 43. The method of claim 42, wherein modifying the at least one rule comprises:

2 selecting a rule corresponding to the actual auction behavior

1 44. The method of claim 43, wherein selecting a rule comprises selecting the rule

2 randomly from among a plurality of rules corresponding to the actual auction behavior.

1 45. A system for specifying a rule for automatic bidding in an auction, comprising:

2 means for accepting an indication of a selected auction behavior; and

3 means for comparing the auction behavior to rules to encourage the auction
4 behavior.

1 46. A system for specifying a rule for automatic bids in an auction, comprising:

2 a rule database in which associations between rules and auction behaviors are
3 stored; and
4 a rule selector having an input for receiving an indication of a selected auction
5 behavior and an output providing rules to encourage the auction behavior from the rule
6 database.

1 47. A computer program product, comprising:
2 a computer readable medium; and
3 computer program instructions stored on the computer readable medium, wherein
4 the computer program instructions, when executed by a computer, direct the computer to
5 perform a method for specifying a rule for automatic bids in an auction, comprising:
6 receiving an indication of a selected auction behavior; and
7 matching the auction behavior to rules to encourage the auction behavior.

1 48. A method for automatically placing a bid for an item for a bidder in an auction,
2 comprising:
3 determining whether a bid for the bidder may be accepted;
4 applying a rule associated with the bidder and having a condition specifying
5 when to place a bid; and
6 if the condition of the rule is satisfied, and if a highest bid in the auction is not
7 from the bidder, and if a bid for the bidder may be accepted, placing the bid according to
8 a specified bidding behavior.

1 49. The method of claim 48, wherein the condition is defined by information about
2 the auction.

1 50. The method of claim 49, where the information about the auction includes at least
2 one of a number of bids subsequent to a previous bid by the bidder and a period of time
3 elapsed since the previous bid by the bidder.

1 51. The method of claim 49, wherein the information about the auction includes at
2 least one of information about bidders participating in the auction, information about

3 bidders registered for the auction, information about status of the auction, and
4 information about the item.

1 52. A system for automatically placing a bid for an item for a bidder in an auction,
2 comprising:

3 means for evaluating a rule associated with the bidder and having a condition
4 specifying when to place a bid; and

5 means, operative if the condition of the rule is satisfied and if a highest bid in the
6 auction is not from the bidder and if a bid may be accepted for the bidder, for submitting
7 the bid according to a specified bidding behavior.

1 53. A system for automatically placing a bid for an item for a bidder in an auction,
2 comprising:

3 a rule application engine having an output indicative of when to place a bid
4 according to a rule associated with the bidder and having a condition specifying when to
5 place a bid; and

6 a bid generator, having a first input for receiving a specified bidding behavior and
7 having an output for providing, when a time to place the bid arrives, an indication of a
8 bid according to the specified bidding behavior if a highest bid in the auction is not from
9 the bidder and if a bid may be accepted for the bidder.

1 54. A computer program product, comprising:

2 a computer readable medium; and

3 computer program instructions stored on the computer readable medium, wherein
4 the computer program instructions, when executed by a computer, directs the computer
5 to perform a method for automatically placing a bid for an item for a bidder in an
6 auction, the method comprising:

7 determining whether a bid for the bidder may be accepted;

8 applying a rule associated with the bidder and having a condition specifying
9 when to place a bid; and

10 if the condition of the rule is satisfied, and if a highest bid in the auction is not
11 from the bidder and if a bid for the bidder may be accepted, placing the bid according to
12 a specified bidding behavior.

1 55. A method for determining a behavior of an auction, comprising:
2 receiving information indicating bidding information for an auction;
3 determining at least one of an average time period between bids and an average
4 increment between bids; and
5 storing the determined information as an associated auction behavior.

1 56. A method for determining a beneficial auction behavior for an auction of an item,
2 comprising:
3 receiving information indicating an outcome and bidding information for a
4 plurality of concluded auctions of similar items;
5 determining a behavior of each of the concluded auctions from the bidding
6 information:
7 selecting the behavior of the auction having the best outcome as the beneficial
8 auction behavior.

1 57. A digital information product, comprising:
2 a computer-readable medium; and
3 information stored on the computer-readable medium and defining data
4 associating each of one or more desired auction behaviors to one or more rules for
5 controlling when a bid may be placed automatically for a bidder in an auction.

1 58. A digital information product defining a proxy bidder, comprising:
2 a computer-readable medium;
3 information stored on the computer-readable medium and defining data
4 associating a maximum bid and a bidder with an indication of a rule for controlling when
5 a bid may be placed automatically for a bidder in an auction.

ABSTRACT

One or more proxy bidders is associated with a rule which determines a time to place a bid. The proxy bidder places a bid at the determined time, instead of immediately after the bidder's prior bid is exceeded. Such rules may be selected for all proxy bidders to encourage a desired auction behavior. By controlling the placement of bids based on rules associated with the desired auction behavior, bids may be placed in a manner that seems natural and competitive to bidders in the auction when, in fact, they are placed in accordance with the selected rules. The desired auction behavior may be selected statically for an auction or dynamically during the auction. Historical auction data may be analyzed to characterize the behavior of an auction, such as the average period of time between bids and the average increment between bids. Rules may be generated to correspond to a behavior so as to provide the same average time and increment between bids.




FIG. 1

300

BIDDER IDENTIFIER 304	NAME 306	MAILING ADDRESS 308	E-MAIL ADDRESS 310	PAYMENT IDENTIFIER 312
58675	KATIE VAN LIGHTIN	1061 CAMINO DE LA CRUZ SANTA FE, NM 87501	KTVL@ GRNOLA.NET	1111-2222- 3333-4444
68676	MAGGIE BOLD	P.O. BOX 2000 GREEN ACHRES, VA 21210	MAGS@ SHOTGUN.COM	2222-3333- 4444-5555
78677	TED DESK	32 CHURCH ST. BLANCHE, CT 06707	TDESK@ YAHOO.COM	3333-4444- 5555-6666
88678	JAMES GERONIMO	1327 SCENIC DR. PALO ALTO, CA 93432	JAMESG@ AOL.COM	4444-5555- 6666-7777

302

FIG. 3

400

SELLER IDENTIFIER 404	SELLER NAME 406	EMAIL ADDRESS 408	PAYMENT IDENTIFIER 410	ASSOCIATED ITEM IDENTIFIERS 412
S-9999	SARAH JONES	DEE@AL.COM	9999-8888-7777-6666	I-1234
S-8888	LYNN GODDARD	LG@CKE.COM	8888-7777-6666-5555	I-3456; I-9898; I-0099
S-7777	STEVE TUDOR	ST@US.COM	7777-6666-5555-4444	I-5699; I-8787
S-6666	TIMOTHY BOR	TIMB@POMP.COM	6666-5555-4444-3333	I-2424

402

FIG. 4

500

ITEM IDENTIFIER 504	ITEM DESCRIPTION 506	ITEM CATEGORY 508	SELLING PRICE 510	BEHAVIOR IDENTIFIER 512
I-1234	PLATINUM & PEARL DINNER RING CIRCA 1920	JEWELRY	N/A	B-B9765
I-2345	GLASS ROOSTER - PRE CIVIL WAR, 18" GREEN, YELLOW AND RED	ANIMAL FIGURINES	\$70.00	B-B8080
I-3456	ROLLER SKATES, 1928 - GOOD CONDITION, AUTHENTICATED.	ANTIQUE SPORTING EQUIPMENT	N/A	B-B7777
I-4567	TURN OF THE CENTURY PIE HUTCH - BEEN IN ONE FAMILY FOR 100 YEARS!! MUST SELL	ANTIQUE FURNISHINGS	\$140.00	B-B9862
I-5678	KARAOKE MACHINE PLUS TAPES, SHEET MUSIC - 80'S ROCK, EASY LISTENING FAVORITES	MUSICAL DEVICES	N/A	B-B2222

502

FIG. 5

600

602		600	
BEHAVIOR IDENTIFIER 604	RULE IDENTIFIER 606	BEHAVIOR 608	RULE DESCRIPTION 610
B-B1234	R-111	CONSISTENT, WITH AVERAGE FREQUENCY EVERY 2-5 MINUTES	PLACE BID TWO MINUTES AFTER PREVIOUS WINNING BID IS RECEIVED
B-B3456	R-222	CONSISTENT, WITH AVERAGE FREQUENCY EVERY 2-5 MINUTES	PLACE BID 3 MINUTES AFTER PREVIOUS WINNING BID IS RECEIVED
B-B8888	R-333	INCREASE FREQUENCY AS AUCTION BECOMES COMPETITIVE	IF AVERAGE BIDDING SPEED INCREASES BY 15%, INCREASE BID PLACEMENT SPEED BY 10%
B-B9765	R-444	CONSISTENT, WITH FREQUENCY EVERY 20-50 MINUTES	PLACE BID 45 MINUTES AFTER PREVIOUS WINNING BID IS RECEIVED
B-B8080	R-555	DELAY OF AT LEAST FIVE MINUTES AFTER EVERY 1-3 BIDS	PLACE BID FIVE MINUTES AFTER EVERY THREE BIDS ARE RECEIVED

FIG. 6

FIG. 7

700

BIDDER IDENTIFIER 704	ITEM IDENTIFIER 706	RULE IDENTIFIER 708	BID CEILING 710
58675	I-1234	R-444	\$70.00
58675	I-3339	R-777	\$48.00
98245	I-4848	R-999	\$54.00
48652	I-5678	R-898	\$150.00

702

FIG. 7

800

ITEM IDENTIFIER:		I-1234	<u>802</u>
AUCTION START DATE/TIME:		10/21/99 8:00 A.M.	<u>804</u>
AUCTION END DATE/TIME:		10/23/99 8:00 A.M.	<u>806</u>
CURRENT NUMBER OF PARTICIPATING BIDDERS:		5	<u>808</u>
BID INCREMENT AMOUNT:		\$2.00	<u>810</u>
BIDDER IDENTIFIER	BID AMOUNT	BIDDING TIME	TYPE OF BIDDER
<u>816</u>	<u>818</u>	<u>820</u>	<u>822</u>
00009	\$4.00	8:15 A.M.	MANUAL
58675	\$6.00	9:00 A.M.	PROXY
23232	\$8.00	10:00 A.M.	PROXY
99989	\$20.00	10:05 A.M.	MANUAL
58675	\$22.00	10:50 A.M.	PROXY

814

802

FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13

Variable	Mean	Standard Deviation	Minimum	Maximum
Age	34.5	10.2	22	55
Gender	0.5	0.5	0	1
Marital Status	0.7	0.5	0	1
Education	12.5	1.5	10	15
Income	3500	1500	1000	7000
Health	0.8	0.4	0	1
Smoking	0.3	0.5	0	1
Alcohol	0.2	0.4	0	1
Exercise	0.6	0.5	0	1
Stress	0.7	0.5	0	1
Depression	0.4	0.5	0	1
Loneliness	0.5	0.5	0	1
Life Satisfaction	0.6	0.5	0	1
Quality of Life	0.7	0.5	0	1
Overall Health	0.8	0.4	0	1
Physical Health	0.9	0.3	0	1
Mental Health	0.7	0.5	0	1
Social Health	0.6	0.5	0	1
Emotional Health	0.5	0.5	0	1
Psychological Health	0.4	0.5	0	1
Behavioral Health	0.3	0.5	0	1
Environmental Health	0.2	0.4	0	1
Occupational Health	0.1	0.3	0	1
Financial Health	0.0	0.2	0	1
Family Health	0.0	0.2	0	1
Community Health	0.0	0.2	0	1
National Health	0.0	0.2	0	1
Global Health	0.0	0.2	0	1




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18

Docket No.

99-062

Declaration and Power of Attorney For Patent Application

English Language Declaration

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name,

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled

**METHOD, SYSTEM AND COMPUTER PROGRAM PRODUCT FOR FACILITATING AN AUCTION
BEHAVIOR AND AUTOMATIC BIDDING IN AN AUCTION**

the specification of which

(check one)

☒ is attached hereto.

☐ was filed on _____ as United States Application No. or PCT International
Application Number _____
and was amended on _____
(if applicable)

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose to the United States Patent and Trademark Office all information known to me to be material to patentability as defined in Title 37, Code of Federal Regulations, Section 1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, Section 119(a)-(d) or Section 365(b) of any foreign application(s) for patent or inventor's certificate, or Section 365(a) of any PCT International application which designated at least one country other than the United States, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate or PCT International application having a filing date before that of the application on which priority is claimed.

Prior Foreign Application(s)

Priority Not Claimed

(Number)

(Country)

(Day/Month/Year Filed)

☐

(Number)

(Country)

(Day/Month/Year Filed)

☐

(Number)

(Country)

(Day/Month/Year Filed)

☐

I hereby claim the benefit under 35 U.S.C. Section 119(e) of any United States provisional application(s) listed below:

60/152,119

09/02/1999

(Application Serial No.)

(Filing Date)

(Application Serial No.)

(Filing Date)

(Application Serial No.)

(Filing Date)

I hereby claim the benefit under 35 U. S. C. Section 120 of any United States application(s), or Section 365(c) of any PCT International application designating the United States, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of 35 U.S.C. Section 112, I acknowledge the duty to disclose to the United States Patent and Trademark Office all information known to me to be material to patentability as defined in Title 37, C. F. R., Section 1.56 which became available between the filing date of the prior application and the national or PCT International filing date of this application:

(Application Serial No.)

(Filing Date)

(Status)
(patented, pending, abandoned)

(Application Serial No.)

(Filing Date)

(Status)
(patented, pending, abandoned)

(Application Serial No.)

(Filing Date)

(Status)
(patented, pending, abandoned)

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith. *(list name and registration number)*



22927

PATENT TRADEMARK OFFICE

Send Correspondence to:



22927

PATENT TRADEMARK OFFICE

Direct Telephone Calls to: *(name and telephone number)*

Dean Alderucci (203) 61-7337


Full name of sole or first inventor Jay S. WALKER	2/4/2000
Sole or first inventor's signature 	Date
Residence 124 Spectacle Lane, Ridgefield, CT 06877	
Citizenship USA	
Post Office Address Same as above	

Full name of second inventor, if any Daniel E. TEDESCO	
Second inventor's signature 	Date 2/22/2000
Residence 192 Park Street, Apt. 6, New Canaan, CT 06840	
Citizenship USA	
Post Office Address Same as above	

Full name of third inventor, if any

Kathleen VAN LUCHENE

Third inventor's signature



Date

3/2/00

Residence

9 Greenwood Place, Norwalk CT 06854

Citizenship

USA


Post Office Address

Same as above

Full name of fourth inventor, if any

James A. JORASCH

Fourth inventor's signature



Date

3/6/2000

Residence

25 Forest Street, Apt. 5G, Stamford, CT 06901

Citizenship

USA


Post Office Address

Same as above

Full name of fifth inventor, if any

Adam WARE

Fifth inventor's signature



Date

= 2/20/2000 =

Residence

65 Rutledge Road, Scarsdale, NY 10583

Citizenship

USA

Post Office Address

Same as above

Full name of sixth inventor, if any

Sixth inventor's signature

Date

Residence

Citizenship

Post Office Address